

Is Exercise a Medical Necessity?

Andy Hicks

References:

Serum leptin, abdominal obesity and the metabolic syndrome in individuals with chronic spinal cord injury. Maruyama Y; Mizuguchi M; Yaginuma T; Kusaka M; Yoshida H; Yokoyama K; Kasahara Y; Hosoya T

Division of Internal Medicine, Kanagawa Rehabilitation Hospital, Kanagawa, Japan.
maruyama@td5.so-net.ne.jp Spinal Cord. 2008; 46(7):494-9 (ISSN: 1362-4393)

QUINTANA, Rafael and NEIVA, Cassiano Merussi. Risk factors for the metabolic syndrome in wheelchair users: basketball players and non-practitioners. *Rev Bras Med Esporte* [online]. 2008, v. 14, n. 3, pp. 188-191. ISSN 1517-8692.

The American Heart Association Web Site

<http://www.americanheart.org/presenter.jhtml?identifier=3044766>

Healthy People 2010 US Department of Health and Human Services

<http://www.health.gov/paguidelines/>

Staying active may lower health risks for large, retired athletes

EUREKALERTContact: AHA News Media Staff Office

karen.astle@heart.org

504-670-6524

American Heart Association Abstract 5085/Poster P40

Obesity and Vascular Risk Factors at Midlife and the Risk of Dementia and Alzheimer Disease *Arch Neurol*. 2005;62:1556-1560

Physical Activity and Risk of Cognitive Impairment and Dementia in Elderly Persons.

Danielle Laurin, MSc Arch Neurol. 2001;58:498-504